

**FLOOR<sup>®</sup>  
EXPERTS**

*Relax. We have it.*



# COSMOFLOORITAN

**Laminate**



**Are you about to move  
in a new apartment,  
new house or new villa?**


**Do you need a floor for  
a new shop, boutique  
or an office?**

**Whatever the answer, we have a solution  
for your needs. The renewed Cosmoflooritan  
lamine floor collection has the answers on  
all questions.**



**What lifestyle do you  
prefer - country, classic  
or modern style?**

**Are you a fan of light,  
medium or dark colours?**



Inspired by customers' needs and followed by new trends it represents one of the most comprehensive laminate flooring collection. A variety of rustic, natural or elegant designs can fit into any public area or private premises. Its robust structure and highly resistant surface is a guaranty for long product life.

# ADVANTAGES



## EASY AND QUICK INSTALLATION (DIY)

Due to its innovative joining systems (just clic, UNIfit), Cosmoflooritan laminate flooring can be installed quickly, easily and with almost no special tools.



## ECONOMICAL

Laminate floor Cosmoflooritan is for sure one of the floor coverings with best price-performance ratio.



## FLEXIBLE

Due to its easy floating installation and deinstallation the flexibility of redesigning your interior is extremely high.



## HEALTHY FLOOR

The sealed surface of laminate flooring is a guaranty for clean, anti-allergenic floors. It repels dirt and is easy to clean which makes it very well suited for all that suffer from allergy.



## EASY TO CARE FOR

High quality coating on the surfaces makes laminate flooring Cosmoflooritan very easy to care for. A damp cloth and vacuum cleaner is all it takes to keep your floors clean.



## ROBUST AND IMPACT RESISTANT

Special, highly abrasion-resistant surface layer in combination with high density fibreboard base material make Cosmoflooritan laminate flooring extremely durable and highly impact resistance. It is very resistant against abrasion, scratches, UV radiation and to certain extent also moisture.



## RENEWABLE AND ECOLOGICAL

Cosmoflooritan laminate flooring collection is primarily made from PEFC-certified industrial wood and residual wood from the sawmill industry as well as ecologically harmless binding agents. It doesn't contain any PVC or softeners and can be fully recycled.



## BLUE ANGEL - PROTECTS HEALTH

Commitment to our environment. Some of Cosmoflooritan products have earned the world's oldest and best-known ecological seal of approval The Blue Angel, which confirms our commitment to the environment.







## WOOD - THE MOST IMPORTANT RAW MATERIAL

Securing environmentally and resource friendly forestry is one of Cosmoflooritan collection's priorities. Only wood from sustainable forestry is used in the production of Cosmoflooritan laminate floor collection.

## PRODUCT DETAILS

1. Resilient, highly abrasion-resistant surface
2. Decor pattern
3. Swell barrier-plus coreboard made from natural wood fibres
4. Balancer



When it comes to usage needs, one can choose from decors suitable for heavy domestic and moderate commercial use to the ones for heavy commercial use.

When it comes to thicknesses, Cosmoflooritan laminate floorings vary from 7 to 11 mm.




The Supreme sub-collection is even anti-static which results in noticeably enhanced comfort. People generate static electricity as they walk across a floor. This can result in the sudden discharge of electricity (electric shock) when touching a metal object. Since Cosmoflooritan Supreme laminate flooring is equipped with antistatic features, the development of static charges is kept to a minimum in accordance with EN1815. Measurements of less than 2kV (kilovolt) have been achieved, which is considered antistatic according to EN 14041.

Flooring with an enhanced antistatic discharge capacity is required for certain applications, for example in EDP facilities and control centres as well as areas subject to explosion hazards. Nevertheless, laminate flooring is not suitable for such applications due to the physical characteristics of wood-based materials.


## SURFACES

Thanks to the latest STATE OF THE ART technologies and new surface treatment techniques, Cosmoflooritan laminate flooring surfaces appear highly authentic.

### HERITAGE




### OILED




### NATURAL PORE



### VINTAGE



### RUSTIC




### R10 SLIP-RESISTANCE CLASS

With slip-resistant properties pursuant to the DIN EN 51130 standard - slip-resistance class R10.





3443 MAPLE GRIVOLA



3851 LARCH WHITE



3810 OAK LOFT WHITE



2171 OAK TRILOGY MILK



2121 CENTURY WOOD



3508 ASH WHITE



3856 WOODSTICKS



3748 OAK BELFORT SILVER




3761 OAK ORLEANS



2141 BEECH RUSTIK



3464 OAK GARRISON NATUR




3923 OAK NEWTON




3376 SPRUCE CANADIAN



2122 CENTURY WOOD COCKTAIL



3126 OAK ANTIK NATUR



3577 CHERRY



2170 WALNUT COMO



3817 OAK POLAR



3814 OAK ZERMATT SAND



2173 OAK CHALKY



2121 CENTURY WOOD



2172 OAK ACHENSEE




3444 LARCH SIBERIAN






2123 CENTURY WOOD CAFE




2141 BEECH RUSTIC



3765 OAK COLMAR



3523 OAK 3-LAM.



3597 CHESTNUT MARKANT




3846 OAK SHANNON



3869 LARCH EUROPEAN GREY



2883 WALNUT MANSONIA



3793 DOUSSIE



3881 CHESTNUT GIRONA



1972 HAZIENDA



3641 OAK COTTAGE WHITE



3882 CHESTNUT GIRONA WHITE



3819 OAK IMPERIAL



3861 ASH BALMORAL GRAY



3863 ASH AALBORG GRAY



3853 LARCH ALPINE



3508 ASH WHITE



3864 ASH BALMORAL VANILLE



3836 OAK NORTHLAND HONEY



3854 ELM MOUNTAIN




3827 OAK CORTINA



3927 OAK NORTH. SAND BEIGE




3754 ACACIA VINTAGE



3872 ASH SATAKUNTA NATUR






3865 ASH BALMORAL CHILLI



3932 OAK LIVINGSTONE TOBBACO







3836 OAK NORTHLAND HONEY



3823 OAK BOURBON NATUR



3754 ACACIA VINTAGE



3910 OAK TRILOGY



3824 OAK BOURBON TEMNI



3801 ACACIA MOOR




3910 OAK TRILOGY






3469 OAK RIFFEL WHITE



3745 OAK OXFORD



3883 WALNUT MANSONIA



























3463 OAK NORTHLAND BROWN



3747 OAK OXFORD GREYBROWN





## PRODUCT OVERVIEW

Range	Panel size	Thickness	Garantee Years	Abrasion Class	Joint	Antistatic	Floor Heating	V-groove
<b>HOME.</b>	1292x192	7		 EN 13329		-		-
<b>VILLA.</b>	1292x192	8		 EN 13329		-		-
<b>STYLE.</b>	1292x192	8		 EN 13329		-		-
<b>PRESTIGE.</b>	1292x192	8		 EN 13329				
<b>SUPREME.</b>	1292x192	11		 EN 13329				

## INSTALLATION

Installation is straightforward, fast and simple thanks to our installation systems. Please observe the installation instructions for the respective product in regards to the exact installation approach.

### OVERVIEW OF INSTALLATION SYSTEMS

System		
Installation technology	angle/angle system	angle/fold down system
Installation	Row by row	Element by element Several rows at a time
Reverse installation	● ●	● ● ● ● ● ●
Speed	● ● ● ●	● ● ● ● ● ●
Installation comfort	● ● ● ●	● ● ● ● ● ●
Removal of the elements	● ● ● ● ● ●	● ● ● ● ● ●



### UNI FIT!

The new UNI fit! installation system simplifies installation and makes the joints in the flooring even more sturdy. And, if you need to move, you can quickly and easily dismantle without damaging the profile. The UNI fit! technology is based on a Unilin profile.

### ADVANTAGES

- The UNI fit! click system allows a quick, comfortable, and flexible installation, floorboard by floorboard
- Simultaneous installation and alignment of the first two rows in consistent alternation
- Simultaneous installation of more than one row is possible with more than one flooring installer working concurrently
- High connection strength and excellent fit
- Easy dismantling row by row is possible



**FLOOR<sup>®</sup>  
EXPERTS**

*Relax. We have it.*

0315

The images in this brochure are only indicative of the appearance you can achieve and the floor may look different to the samples. Consequently, we suggest you visit your supplier to view the larger display boards which will give a better indication.